

Table S3a. Estimates in biomass of shark catches in the Atlantic Ocean, 1980-2006 (all figures in thousand t) using an area proportioning method. Aquat. Living Resour. 2008, vol. 21, N° 4, Clarke S.

	Blue Shark	Shortfin Mako Shark	Oceanic Whitetip Shark	Thresher Sharks
1980	27.930 (16.730 - 43.390)	2.711 (1.648 - 3.984)	1.804 (0.859 - 3.143)	3.676 (1.470 - 5.886)
1981	27.950 (16.750 - 43.430)	2.713 (1.649 - 3.987)	1.806 (0.860 - 3.145)	3.679 (1.471 - 5.890)
1982	27.580 (16.520 - 42.840)	2.677 (1.627 - 3.933)	1.781 (0.848 - 3.103)	3.629 (1.451 - 5.810)
1983	25.620 (15.350 - 39.800)	2.487 (1.512 - 3.654)	1.655 (0.788 - 2.882)	3.371 (1.348 - 5.398)
1984	28.030 (16.790 - 43.540)	2.720 (1.654 - 3.997)	1.810 (0.862 - 3.153)	3.688 (1.474 - 5.905)
1985	26.650 (15.960 - 41.400)	2.587 (1.572 - 3.801)	1.721 (0.820 - 2.998)	3.507 (1.402 - 5.615)
1986	28.430 (17.030 - 44.170)	2.760 (1.678 - 4.055)	1.837 (0.875 - 3.199)	3.742 (1.496 - 5.991)
1987	33.830 (20.270 - 52.550)	3.284 (1.996 - 4.825)	2.185 (1.041 - 3.806)	4.452 (1.780 - 7.128)
1988	33.370 (19.990 - 51.840)	3.239 (1.969 - 4.759)	2.155 (1.027 - 3.754)	4.391 (1.755 - 7.031)
1989	30.630 (18.350 - 47.580)	2.973 (1.807 - 4.368)	1.978 (0.942 - 3.446)	4.030 (1.611 - 6.453)
1990	30.780 (18.440 - 47.810)	2.988 (1.816 - 4.390)	1.988 (0.947 - 3.463)	4.051 (1.619 - 6.485)
1991	45.200 (26.820 - 70.750)	4.403 (2.651 - 6.528)	2.932 (1.393 - 5.160)	5.958 (2.388 - 9.755)
1992	54.680 (32.440 - 85.580)	5.326 (3.207 - 7.896)	3.546 (1.685 - 6.241)	7.207 (2.889 - 11.800)
1993	49.430 (29.330 - 77.370)	4.815 (2.900 - 7.139)	3.206 (1.524 - 5.643)	6.516 (2.612 - 10.670)
1994	53.130 (31.520 - 83.150)	5.175 (3.116 - 7.672)	3.445 (1.637 - 6.064)	7.003 (2.807 - 11.460)
1995	60.330 (35.800 - 94.430)	5.876 (3.539 - 8.713)	3.913 (1.859 - 6.887)	7.952 (3.188 - 13.020)
1996	64.850 (40.250 - 94.430)	6.329 (3.942 - 8.669)	4.193 (2.058 - 7.016)	8.624 (3.514 - 13.000)
1997	69.950 (43.420 - 101.900)	6.826 (4.253 - 9.351)	4.523 (2.219 - 7.567)	9.302 (3.790 - 14.020)
1998	74.660 (46.340 - 108.700)	7.286 (4.539 - 9.981)	4.828 (2.369 - 8.077)	9.929 (4.046 - 14.960)
1999	83.690 (51.940 - 121.900)	8.167 (5.088 - 11.190)	5.412 (2.655 - 9.054)	11.130 (4.535 - 16.770)
2000	97.540 (60.540 - 142.000)	9.519 (5.930 - 13.040)	6.307 (3.095 - 10.550)	12.970 (5.285 - 19.550)
2001	119.100 (66.920 - 203.100)	11.540 (6.656 - 18.870)	7.755 (3.526 - 14.570)	15.540 (6.136 - 27.370)
2002	120.500 (67.730 - 205.600)	11.680 (6.737 - 19.100)	7.849 (3.568 - 14.750)	15.730 (6.210 - 27.700)
2003	128.800 (72.380 - 219.700)	12.490 (7.199 - 20.410)	8.387 (3.813 - 15.760)	16.810 (6.637 - 29.600)
2004	113.700 (63.880 - 193.900)	11.020 (6.353 - 18.010)	7.402 (3.365 - 13.910)	14.830 (5.857 - 26.120)
2005	108.900 (61.220 - 185.800)	10.560 (6.089 - 17.260)	7.094 (3.225 - 13.330)	14.220 (5.614 - 25.040)
2006	98.760 (55.500 - 168.500)	9.574 (5.520 - 15.650)	6.431 (2.924 - 12.090)	12.890 (5.089 - 22.700)

Table S3b. Estimates in biomass of shark catches in the Atlantic Ocean, 1980-2006 (all figures in thousand t) using a tuna catch proportioning method. Aquat. Living Resour. 2008, vol. 21, N° 4, Clarke S.

	Blue Shark	Shortfin Mako Shark	Oceanic Whitetip Shark	Thresher Sharks
1980	22.290 (13.360 - 34.630)	2.164 (1.315 - 3.180)	1.440 (0.686 - 2.509)	2.934 (1.173 - 4.698)
1981	24.210 (14.500 - 37.610)	2.350 (1.428 - 3.453)	1.564 (0.745 - 2.725)	3.186 (1.273 - 5.101)
1982	26.190 (15.690 - 40.690)	2.542 (1.545 - 3.736)	1.692 (0.806 - 2.948)	3.447 (1.378 - 5.519)
1983	21.780 (13.040 - 33.830)	2.114 (1.285 - 3.106)	1.407 (0.670 - 2.451)	2.866 (1.146 - 4.589)
1984	19.800 (11.860 - 30.750)	1.921 (1.168 - 2.823)	1.279 (0.609 - 2.228)	2.605 (1.041 - 4.172)
1985	19.890 (11.910 - 30.890)	1.930 (1.173 - 2.836)	1.284 (0.612 - 2.238)	2.617 (1.046 - 4.191)
1986	18.490 (11.080 - 28.730)	1.795 (1.091 - 2.638)	1.195 (0.569 - 2.082)	2.434 (0.973 - 3.898)
1987	21.330 (12.780 - 33.130)	2.070 (1.258 - 3.042)	1.378 (0.656 - 2.401)	2.807 (1.122 - 4.495)
1988	20.640 (12.360 - 32.060)	2.003 (1.218 - 2.944)	1.333 (0.635 - 2.323)	2.716 (1.086 - 4.350)
1989	19.430 (11.640 - 30.190)	1.886 (1.147 - 2.772)	1.255 (0.598 - 2.187)	2.557 (1.022 - 4.095)
1990	19.530 (11.700 - 30.340)	1.896 (1.152 - 2.785)	1.261 (0.601 - 2.198)	2.570 (1.027 - 4.116)
1991	27.780 (16.480 - 43.480)	2.706 (1.629 - 4.014)	1.801 (0.856 - 3.171)	3.662 (1.468 - 5.996)
1992	32.510 (19.290 - 50.890)	3.167 (1.907 - 4.698)	2.108 (1.002 - 3.711)	4.286 (1.718 - 7.017)
1993	30.780 (18.260 - 48.170)	2.997 (1.805 - 4.447)	1.996 (0.948 - 3.513)	4.057 (1.626 - 6.642)
1994	32.230 (19.120 - 50.440)	3.139 (1.890 - 4.657)	2.090 (0.993 - 3.679)	4.248 (1.703 - 6.955)
1995	33.470 (19.860 - 52.380)	3.259 (1.963 - 4.836)	2.170 (1.031 - 3.820)	4.412 (1.768 - 7.223)
1996	37.270 (23.130 - 54.270)	3.637 (2.265 - 4.983)	2.410 (1.182 - 4.033)	4.956 (2.019 - 7.473)
1997	34.890 (21.660 - 50.810)	3.405 (2.121 - 4.666)	2.256 (1.107 - 3.776)	4.640 (1.891 - 6.997)
1998	36.350 (22.560 - 52.940)	3.548 (2.210 - 4.860)	2.350 (1.153 - 3.934)	4.834 (1.970 - 7.290)
1999	39.080 (24.250 - 56.900)	3.813 (2.375 - 5.225)	2.527 (1.240 - 4.229)	5.196 (2.117 - 7.836)
2000	43.210 (26.820 - 62.920)	4.217 (2.627 - 5.777)	2.794 (1.371 - 4.676)	5.746 (2.341 - 8.664)
2001	55.130 (30.980 - 94.050)	5.344 (3.081 - 8.736)	3.590 (1.632 - 6.755)	7.194 (2.840 - 12.680)
2002	46.170 (25.950 - 78.780)	4.477 (2.581 - 7.317)	3.007 (1.367 - 5.658)	6.026 (2.379 - 10.620)
2003	48.310 (27.150 - 82.430)	4.684 (2.700 - 7.657)	3.146 (1.430 - 5.920)	6.305 (2.489 - 11.120)
2004	42.180 (23.700 - 71.970)	4.090 (2.358 - 6.685)	2.747 (1.249 - 5.169)	5.505 (2.173 - 9.704)
2005	43.040 (24.190 - 73.430)	4.173 (2.406 - 6.821)	2.803 (1.274 - 5.274)	5.617 (2.218 - 9.902)
2006	34.680 (19.490 - 59.170)	3.363 (1.939 - 5.497)	2.258 (1.027 - 4.250)	4.526 (1.787 - 7.979)

Table S3c. Estimates in biomass of shark catches in the Atlantic Ocean, 1980-2006 (all figures in thousand t) using an effort proportioning method. Aquat. Living Resour. 2008, vol. 21, N° 4, Clarke S.

	Blue Shark	Shortfin Mako Shark	Oceanic Whitetip Shark	Thresher Sharks
1980	23.300 (13.960 - 36.190)	2.261 (1.375 - 3.323)	1.505 (0.717 - 2.621)	3.066 (1.226 - 4.909)
1981	23.310 (13.970 - 36.220)	2.263 (1.376 - 3.325)	1.506 (0.717 - 2.623)	3.068 (1.226 - 4.912)
1982	27.400 (16.410 - 42.570)	2.660 (1.617 - 3.908)	1.770 (0.843 - 3.083)	3.606 (1.441 - 5.773)
1983	24.430 (14.640 - 37.960)	2.372 (1.442 - 3.485)	1.578 (0.752 - 2.749)	3.215 (1.285 - 5.148)
1984	27.960 (16.750 - 43.430)	2.714 (1.650 - 3.988)	1.806 (0.860 - 3.146)	3.679 (1.471 - 5.891)
1985	28.610 (17.140 - 44.440)	2.777 (1.688 - 4.080)	1.848 (0.880 - 3.218)	3.764 (1.505 - 6.027)
1986	32.000 (19.170 - 49.710)	3.106 (1.888 - 4.564)	2.067 (0.984 - 3.600)	4.211 (1.683 - 6.742)
1987	33.210 (19.890 - 51.590)	3.223 (1.959 - 4.736)	2.145 (1.022 - 3.736)	4.370 (1.747 - 6.997)
1988	30.890 (18.510 - 47.990)	2.999 (1.823 - 4.406)	1.995 (0.950 - 3.476)	4.066 (1.625 - 6.509)
1989	32.260 (19.330 - 50.120)	3.132 (1.904 - 4.602)	2.084 (0.993 - 3.630)	4.246 (1.697 - 6.798)
1990	35.500 (21.260 - 55.140)	3.445 (2.094 - 5.063)	2.293 (1.092 - 3.993)	4.671 (1.867 - 7.479)
1991	47.080 (27.930 - 73.690)	4.586 (2.761 - 6.799)	3.053 (1.451 - 5.374)	6.206 (2.488 - 10.160)
1992	57.380 (34.050 - 89.810)	5.589 (3.366 - 8.287)	3.721 (1.769 - 6.550)	7.564 (3.032 - 12.380)
1993	55.830 (33.120 - 87.380)	5.437 (3.274 - 8.062)	3.620 (1.721 - 6.372)	7.358 (2.950 - 12.050)
1994	66.140 (39.250 - 103.500)	6.442 (3.880 - 9.552)	4.289 (2.039 - 7.550)	8.718 (3.495 - 14.270)
1995	71.020 (42.140 - 111.200)	6.917 (4.166 - 10.260)	4.606 (2.189 - 8.107)	9.361 (3.753 - 15.330)
1996	85.650 (53.160 - 124.700)	8.359 (5.207 - 11.450)	5.539 (2.718 - 9.266)	11.390 (4.641 - 17.170)
1997	87.090 (54.050 - 126.800)	8.499 (5.294 - 11.640)	5.632 (2.763 - 9.421)	11.580 (4.719 - 17.450)
1998	84.910 (52.700 - 123.600)	8.286 (5.162 - 11.350)	5.491 (2.694 - 9.186)	11.290 (4.601 - 17.020)
1999	100.200 (62.180 - 145.900)	9.777 (6.091 - 13.390)	6.478 (3.179 - 10.840)	13.320 (5.429 - 20.080)
2000	115.600 (71.750 - 168.300)	11.280 (7.028 - 15.450)	7.475 (3.668 - 12.510)	15.370 (6.264 - 23.170)
2001	120.700 (67.830 - 205.900)	11.700 (6.746 - 19.130)	7.860 (3.573 - 14.770)	15.750 (6.219 - 27.740)
2002	107.700 (60.540 - 183.700)	10.440 (6.022 - 17.070)	7.015 (3.190 - 13.180)	14.060 (5.551 - 24.760)
2003	124.400 (69.900 - 212.100)	12.060 (6.952 - 19.710)	8.099 (3.682 - 15.220)	16.230 (6.409 - 28.580)
2004	99.330 (55.820 - 169.400)	9.629 (5.552 - 15.740)	6.468 (2.941 - 12.150)	12.960 (5.118 - 22.830)
2005	92.160 (51.790 - 157.200)	8.934 (5.151 - 14.600)	6.001 (2.729 - 11.280)	12.030 (4.749 - 21.180)
2006	98.920 (55.590 - 168.700)	9.590 (5.529 - 15.670)	6.442 (2.929 - 12.100)	12.910 (5.097 - 22.730)